

JIPA JUMP 151 (150l)



Technical specification:

Capacity:	150 liters – DIN 18857
Capacity GN:	3 x GN 1/1
Bottom pan dimension:	1071 x 580 mm
Depth:	280 mm
Cooking surface:	63 dm ²
W x D x H:	1651 x 850 x 1050 mm
Power-connected load:	36,9 kW
Voltage:	3 N AC 400 V
Fuse:	3 x 50 A
Weight:	417 kg
Water inlet:	R3/4
Water outlet:	DN - 50

Technology:

Boiling	Automatic basket lifting
Gentle boiling	12" colour touch screen with intuitive control
Deep frying	Memory of 800 programs with 12 steps
Frying	Language mutation
Braising	Possibility to create own programs
Low temperature cooking	Actual values visible on screen
Grilling	Sensor temperature control
Confit	Lock screen
Sous – vide	Error list on display
Overnight cooking	Technical and service information
Temperature: 30°C–250°C.	


Construction:

- Base frame - AISI 304, minimum thickness 3 mm
- Frame cover - AISI 304
- Cooking pan AISI 316, both sides welded
- Heating system JPX 17 equal and stabile heating
- Preheating to 180 °C till 3 minutes
- Robust double insulated cover with automatic electric lifting
- Steam exhaust through the chimney in cover
- Central water supply, drainage and power connections from wall or floor
- Connection kit for connection more units together
- Service access from the front and top sides
- Certificates CE, TÜV-SÜD

Standard Equipment:

- Automatic water filling system
- Liquid level gauge
- 2 speeds of tilting
- Multipoint core probe
- Integrated drain in bottom with electronic closing/opening system
- Automatic basket lifting – possibility of cooking in baskets with closed cover
- Electronic cover with safety control
- Safety sensor for basket lifting arm
- Integrated retractable shower
- Integrated socket 230 V /16 A
- USB port– backup and data transfer
- HACCP data
- Internet connection






- ① Drain DN 50
- ② Water connection
- ③ Electro connection
- ④ Ethernet socket RJ 45
- ⑤ Ground

Recommended accessories:

- Spatula big
- Spatula for omelettes
- Basket extension arm
- Cooking and frying baskets
- Sieve
- Spaetzle sieve



- Oil filtration trolley



- Battery – powered lifting trolley



- Grate for NT 1/1

